



Jefferson  
Health Plans

# HEDIS Hints

Appropriate Treatment for Upper Respiratory Infection (URI)

# Appropriate Treatment for Upper Respiratory Infection (URI)

- What is NCQA's URI Measure?
- Examples of Best Practices
- Coding tip
- Questions

# What is NCQA's URI Measure?

- The URI Measure looks at the percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that **did not result in an antibiotic dispensing event**.
  - A higher rate for this measure shows the percentage of episodes that the patient was not prescribed an antibiotic - this indicates an appropriate treatment.
- The look back period for the URI Measure begins on July 1 of the year before the measurement year (MY) and ends on June 30 of the MY.
  - For example, the URI Measure for HEDIS MY 2023 look back period begins 07/01/2022 and ends 06/30/2023.
- Most upper respiratory infections are viral in nature so antibiotics would not be of value for treatment.
- This measure's intent is to improve antibiotic utilization in order to decrease antibiotic resistant infections.

# What is NCQA's URI Measure?

- The age stratifications for these measures are:
  - 3 months - 17 years
  - 18 years - 64 years
  - 65 years and older
  - Total of all ages
- This measure is only an administrative measure which utilizes pharmacy data.
- Jefferson Health Plans may not perform medical record review for the AAP measure.

# Examples of Best Practices for the URI Measure

- Do not dispense antibiotics for viral illnesses even if your patient requests them.
  - Refer to the Centers for Disease Control and Prevention's website for more information of Antibiotic prescribing and usage: <https://www.cdc.gov/antibiotic-use/index.html>
- Educate patients, and caregivers on viral illnesses:
  - Difference between viral and bacterial infections.
  - Inappropriate use of antibiotics.
  - Explain other causes for sore throats such as colds or allergies.

## Examples of Best Practices for the URI Measure Cont.

- Offer ways to treat symptoms such as:
  - Increased fluids by mouth
  - Over the counter medicines
  - Cool mist vaporizer
  - Throat lozenges
  - Rest
- Explain ways to prevent infection:
  - Wash hands frequently.
  - Clean children's toys.
  - Wipe down frequently touched areas with disinfectant wipes.

## Coding tip

- If antibiotics are prescribed for another condition, be sure to include all comorbid diagnosis codes on the claim.

# Questions?

Please contact [ProviderEducation@jeffersonhealthplans.com](mailto:ProviderEducation@jeffersonhealthplans.com)

or

Teresa McKeever MS, BSN, RN Director, Quality Management [tmckeever@jeffersonhealthplans.com](mailto:tmckeever@jeffersonhealthplans.com)





[JeffersonHealthPlans.com](https://www.JeffersonHealthPlans.com)